

GOVERNMENT OF TELANGANA
ABSTRACT

Cinemas – Cyberabad - Grant of Cinematograph License to M/s "Srisailam Harsha M Cube & Multiplex theatre in Sy.No.495/P, 496/P 505/P 506/P and 515/P at Attapur (V) Rajendranagar Mandal R.R.District with four (4) screens and permission to screen(5) shows per day in each screen – Accorded – Orders – Issued.

HOME (GENL.A1) DEPARTMENT

G.O.MS.No. 36.

Dated: 30-09-2014

Read:-

From the Commissioner of Police, Cyberabad letter Rc.No.16/M7/Cyb/2014 dated 02.09.2014.

@@@

In the letter read above, the Commissioner of Police, Cyberabad has reported has stated that Sri S.Malla Reddy and S.Pochi Reddy has applied for Screening Permission for (4) Screens for M/s "Srisailam Harsha M Cube & Multiplex theatre along with shopping mall in Sy.No.495/P, 496/P, 505/P, and 515/P at Attapur (V) Rajendranagar Mandal R.R. District. The following are the screen wise, class wise seating arrangement and proposed rates of admission

Screens	Seats	Rate of Admission upto	For 3D Films upto
Screen-1	365	120/-	150/-
Recliner	0	0	0
Screen -2	322	120/-	150/-
Recliner	14	180/-	200/-
Screen-3	365	120/-	150/-
Recliner	0	0	0
Screen-4	322	120/-	150/-
Recliner	14	180/-	200/-

2. The applicant has submitted the following certificates as required under Cinema Rules:

- (i) Certificate from State Films Television and Theatre development No. APSFTVTDC/NOC/974, 975,976 & 977/2014 Dt.29.08.2014 which is valid upto 28.08.2014 to 27.08.2014
- (ii) Honorary Secretary, the Hyderabad State Telangana Chamber of Commerce, SD Road, Secunderabad has issued certificate No.002, 003, 004 & 005 dated:27.08.2014 for a period from 27.08.2014 to 26.08.2015.

3. He has further stated that the matter has been referred to the inspecting officers and they have submitted their specific reports as follows:

4. The Executive Engineer (R&B) Roads Division, Hyderabad had sent his Report vide Lr.No.EE/R&B/R.D/DB/D4/Cinemas/2014-15/918 Dt: 25.08.2014 in which he has recommended to issue screening permission of form (B) for a period of Five years from 25.08.2014 to 24.08.2019

5. The Dy. Electrical Inspector, R.R.District III sub division Chikkadapalli, Hyderabad has sent his reports vide Lr.No.Dy.E1/R.R. II/Cinena/D.No. 1502,1503,1504 & 1505/2014 Dt: 11.08.2014 in which he had issued Electrical and Fire Certificate in Form-D bearing No.CP/RR3-10,11,12 &13 valid from 11.08.2014 to 31.12.2017 under rule 14 of A.P. Cinemas (Reg) Rules 1970.

6. The District Medical and Health Officer, Ranga Reddy District has sent his report vide Lr.No.1095/D&O/DM&HO/2014, dated 13.08.2014 stating that he has inspected the theatre and permitted to exhibit films on screens for the period of five (5) years from 01.08.2014 to 31.07.2019

7. The Greater Hyderabad Municipal Corporation has given a Occupancy Certificate vide proceeding No.87257/20/12/212/HO/OC Dt: 14.07.2014.

8. The Director General State Disaster Response & Fire Services, Andhra Pradesh, Hyderabad vide his Lr.Rc.No.3252/MSB/CR/RR/2014 Dated: 09.05.2014, while describing the specifications, has submitted No Objection Certificate for occupancy to the Assembly Occupancy (D6-Mall and Multiplex) by name Srisailam Harsha M Cube Multiples by Sri S. Mallareddy and Others, Sy.No.495/P, 496/P, 505/P, 506/P and 515/P, Attapur Village, Rajendernagar Mandal, Ranga Reddy District, subject to certain conditions. The No Objection Certificate for occupancy is valid for one year from the date of issue of their letter.

9. The Commissioner of Police, Cyberabad, while considering the reports of The ACP Rajendranagar, Cyberabad, The ACP RGI Airport Traffic Division, Cyberabad and The Addl. DCP, Traffic Cyberabad, has, requested to issue necessary orders on the request of the applicant for grant of Cinematography License in form-B to run multiplex theatre with (4) Screens for M/s. "Srisailam Harsha M Cube & Multiplex theater along with shopping mall in Sy.No.495/P, 496/P, 505/P, 506/P and 515/P, situated at Attapur, Rajendra Nagar Municipality and Mandal, Ranga Reddy District.

10. Government, after careful examination of the matter, and in exercise of the powers conferred under section 12 of Andhra Pradesh Cinemas (Regulation) Act, 1955 and under clauses (a) of sub rule (3) of rule 11(B) of Andhra Pradesh Cinemas (Regulation) Rules, 1970, here by grant Cinematograph License with the conditions as clearly stated in the Annexure and permit rates of admission as under in table to "Srisailam Harsha M Cube & Multiplex theater in Sy.No.495/P, 496/P, 505/P, 506/P and 515/P, situated at Attapur, Rajendra Nagar Municipality and Mandal, Ranga Reddy District and also permit to screen five(5) shows per day during 10.00 AM to 1.00A.M. (after mid-night) in all the four screens in relaxation of item No.43 of 'B' Form Licensing Condition.

Screens	Seats	Rate of Admission upto	For 3D Films upto
Screen-1	365	120/-	150/-
Screen -2	322	120/-	150/-
Recliner	14	180/-	200/-
Screen-3	365	120/-	150/-
Screen-4	322	120/-	150/-
Recliner	14	180/-	200/-

11. The grant of cinematograph license and the rates of admission permitted above is subject to the conditions laid down in the Annexure to this Order being strictly fulfilled by the Management of M/s Srisailam Harsha M Cube & Multiplex theater in Sy.No.495/P, 496/P, 505/P, 506/P and 515/P, situated at Attapur, Rajendra Nagar Municipality and Mandal, Ranga Reddy District.

12. The Commissioner of police, Cyberabad shall take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

AJAY MISRA
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Commissioner of Police, Cyberabad
Copy to:-

The Authorized Signatory, M/s Srisailam Harsha M Cube & Multiplex theater in Sy.No.495/P, 496/P, 505/P, 506/P and 515/P, situated at Attapur, Rajendra Nagar Municipality and Mandal, Ranga Reddy District.

The P.S to Prinicipal Chief Secretary to govt., Home Department.
Sc/Sf.

//FORWARDED::BY ORDER//

SECTION OFFICER

CONDITION FOR MULTIPLEXES

- a) The CCTV system shall be maintained without any interruption
- b) Night vision cameras to be installed specially at the Box Office to capture the images of the patrons buying tickets during the late evening hours.
- c) The patrons shall be providing with lifts/escalators for exit at the end of the shows on par with such facility provided at the time of entering the theatre.

d) CONDITIONS FOR THEATRES AND MULTIPLEXES

- a) The rates of tickets and rates of online cinema tickets service charges with the name of the agency shall be exhibited at the counter and in any other conspicuous manner.
- b) All gangways, exits and treads of steps and stairways shall be maintained with no slippery surfaces at all times.
- c) The corridors, area earmarked for lobby and parking for the use of cinegoers, should not be let out for any commercial or other purpose
- d) No vehicle shall be parked or allowed to stand in such a way as to obstruct exits or impede the rapid dispersal of persons accommodated, in the event of fire or panic.
- e) Emergency evacuation plan shall be drawn and got approved by the licensing authority within one month.(Uphaar theatre- Hon'ble supreme court directions).
- f) A Short documentary shall be screened during every show by showing the exits, emergency escape routes and instructions as to what to do and what not to do in case of fire or or other hazards. (Uphaar theatre- Hon'ble supreme court directions).
- g) The staff/ushers including security staff should be periodically trained to operate the fire safety equipment during emergency in fire drills and evacuation procedures to provide supports to the patrons in case of fire or any other calamity. Mock drills shall be conducted once in every 6 months. (Uphaar theatre- Hon'ble supreme court directions).
- h) While the Theatres are entitled to regulate the exit through doors other than the entry door, under no circumstances should the entry door (while can act as an emergency exit in the event of fire or other emergency) be bolted from outside. At the end of the show , the ushers may request the patrons to use the exit doors by placing a temporary barrier across the entry gate which should be easily movable. (Uphaar theatre- Hon'ble supreme court directions).
- i) The emergency department telephone nos. of nearest hospitals, police station and Fire Department shall be displayed in every sho.
- j) The Management should facilitate periodical inspection by the fire officer concerned
- k) The Management should obtain insurance coverage for all the employees and audience/visitors/vendors.

- l) The Management shall ensure all safety measures including fire safety measures as prescribed by Government National Building Code and other statutes or orders issued by Government from time to time
- m) There should be no modifications to the available parking area as seen in the re-inspection report to avoid reduction in parking area..
- n) Adequate valet parking staff and security guards should be provided for a parking convenience, safety and traffic regulation at entry and exit.
- o) All precautions should be taken for safety during movement and parking of vehicles in sided the multiplex area.
- p) No obstruction should be made in form of advertisement boards, stalls, etc in and around the multiplex which hinders free movement of vehicles or safety.
- q) Toilets should be clean and hygienically maintained, adequate number of wash basins of porcelain/stainless steel shall be provide along with soap to wash hands, with hot and cold running water, and hot air for cleaning hands and drying them hygienically. Clean and dry towels shall be kept for the use of customers, Under no circumstances should the toilets and wash- basins be clogged and in stinking condition. Any complaint in this regard will be viewed seriously.
- r) The rates of food items, snacks and beverages sold in the premises shall at reasonable rates and should never exceed the retail price printed thereon. Foodstuffs and snacks should always be fresh and hygienically packed. There shall be no exploitation of customers in this regard. Any complaint in this regards will result in imposition of severe penalties.
- s) Air conditioners should be maintained in proper conditions and if found not working severe penalty will be imposed.
- t) Fresh and clean drinking water must be provided for the patrons'

SECTION OFFICER